

# Living With & Beyond Cancer

## Cancer Alliance Intelligence Summary

**Note:** Development version. This document is generated from the corrected Stage 8c survivorship intelligence workbook using Severe Problem % only. Respondent counts are based on C30 severe response counts where available. EQ5D count fields were not available in the current source extract, so these counts should not be interpreted as total patients affected.

### Cheshire and Merseyside

LWBC Theme	% Severe Problems	Respondents Reporting Severe Problems	Potential Impact on Patients	Potential Areas for Support
Frailty & Late Effects	8.6%	7,280	Reduced resilience, mobility, self-care, cognition or long-term treatment effects.	Frailty assessment, late effects pathways, rehabilitation, falls prevention and cognitive support.
Living With & Beyond Cancer	10.3%	3,640	Difficulty returning to normal daily life, work, leisure and usual activities.	LWBC support, rehabilitation, occupational therapy, community recovery and return-to-normal-life support.
Pain, Anxiety & Independence	6.1%		Ongoing pain, anxiety or independence issues affecting daily life and confidence.	Pain management, emotional wellbeing support, rehabilitation, independence support and community care.
Personalised Care	6.2%	7,280	Emotional, psychological or social support needs that may benefit from personalised care.	Personalised Care and Support Planning, psychological support, peer support and social prescribing.
Prevention & Survivorship Support Needs	8.2%	18,200	Wider support needs that may benefit from earlier identification, proactive support and follow-up.	Earlier identification of support needs, proactive survivorship support, targeted interventions and service redesign.

## East Midlands

LWBC Theme	% Severe Problems	Respondents Reporting Severe Problems	Potential Impact on Patients	Potential Areas for Support
Frailty & Late Effects	7.9%	13,452	Reduced resilience, mobility, self-care, cognition or long-term treatment effects.	Frailty assessment, late effects pathways, rehabilitation, falls prevention and cognitive support.
Living With & Beyond Cancer	9.7%	6,726	Difficulty returning to normal daily life, work, leisure and usual activities.	LWBC support, rehabilitation, occupational therapy, community recovery and return-to-normal-life support.
Pain, Anxiety & Independence	5.5%		Ongoing pain, anxiety or independence issues affecting daily life and confidence.	Pain management, emotional wellbeing support, rehabilitation, independence support and community care.
Personalised Care	6.3%	13,452	Emotional, psychological or social support needs that may benefit from personalised care.	Personalised Care and Support Planning, psychological support, peer support and social prescribing.
Prevention & Survivorship Support Needs	7.7%	33,630	Wider support needs that may benefit from earlier identification, proactive support and follow-up.	Earlier identification of support needs, proactive survivorship support, targeted interventions and service redesign.

## East of England - North

LWBC Theme	% Severe Problems	Respondents Reporting Severe Problems	Potential Impact on Patients	Potential Areas for Support
Frailty & Late Effects	7.6%	10,502	Reduced resilience, mobility, self-care, cognition or long-term treatment effects.	Frailty assessment, late effects pathways, rehabilitation, falls prevention and cognitive support.
Living With & Beyond Cancer	9.4%	5,251	Difficulty returning to normal daily life, work, leisure and usual activities.	LWBC support, rehabilitation, occupational therapy, community recovery and return-to-normal-life support.
Pain, Anxiety & Independence	5.1%		Ongoing pain, anxiety or independence issues affecting daily life and confidence.	Pain management, emotional wellbeing support, rehabilitation, independence support and community care.
Personalised Care	5.6%	10,502	Emotional, psychological or social support needs that may benefit from personalised care.	Personalised Care and Support Planning, psychological support, peer support and social prescribing.
Prevention & Survivorship Support Needs	7.3%	26,255	Wider support needs that may benefit from earlier identification, proactive support and follow-up.	Earlier identification of support needs, proactive survivorship support, targeted interventions and service redesign.

## East of England - South

LWBC Theme	% Severe Problems	Respondents Reporting Severe Problems	Potential Impact on Patients	Potential Areas for Support
Frailty & Late Effects	6.9%	10,060	Reduced resilience, mobility, self-care, cognition or long-term treatment effects.	Frailty assessment, late effects pathways, rehabilitation, falls prevention and cognitive support.
Living With & Beyond Cancer	8.0%	5,030	Difficulty returning to normal daily life, work, leisure and usual activities.	LWBC support, rehabilitation, occupational therapy, community recovery and return-to-normal-life support.
Pain, Anxiety & Independence	5.0%		Ongoing pain, anxiety or independence issues affecting daily life and confidence.	Pain management, emotional wellbeing support, rehabilitation, independence support and community care.
Personalised Care	5.0%	10,060	Emotional, psychological or social support needs that may benefit from personalised care.	Personalised Care and Support Planning, psychological support, peer support and social prescribing.
Prevention & Survivorship Support Needs	6.5%	25,150	Wider support needs that may benefit from earlier identification, proactive support and follow-up.	Earlier identification of support needs, proactive survivorship support, targeted interventions and service redesign.

## Greater Manchester

LWBC Theme	% Severe Problems	Respondents Reporting Severe Problems	Potential Impact on Patients	Potential Areas for Support
Frailty & Late Effects	8.1%	6,042	Reduced resilience, mobility, self-care, cognition or long-term treatment effects.	Frailty assessment, late effects pathways, rehabilitation, falls prevention and cognitive support.
Living With & Beyond Cancer	9.4%	3,021	Difficulty returning to normal daily life, work, leisure and usual activities.	LWBC support, rehabilitation, occupational therapy, community recovery and return-to-normal-life support.
Pain, Anxiety & Independence	5.9%		Ongoing pain, anxiety or independence issues affecting daily life and confidence.	Pain management, emotional wellbeing support, rehabilitation, independence support and community care.
Personalised Care	6.1%	6,042	Emotional, psychological or social support needs that may benefit from personalised care.	Personalised Care and Support Planning, psychological support, peer support and social prescribing.
Prevention & Survivorship Support Needs	7.8%	15,105	Wider support needs that may benefit from earlier identification, proactive support and follow-up.	Earlier identification of support needs, proactive survivorship support, targeted interventions and service redesign.

## Humber and North Yorkshire

LWBC Theme	% Severe Problems	Respondents Reporting Severe Problems	Potential Impact on Patients	Potential Areas for Support
Frailty & Late Effects	7.2%	5,898	Reduced resilience, mobility, self-care, cognition or long-term treatment effects.	Frailty assessment, late effects pathways, rehabilitation, falls prevention and cognitive support.
Living With & Beyond Cancer	8.9%	2,949	Difficulty returning to normal daily life, work, leisure and usual activities.	LWBC support, rehabilitation, occupational therapy, community recovery and return-to-normal-life support.
Pain, Anxiety & Independence	5.3%		Ongoing pain, anxiety or independence issues affecting daily life and confidence.	Pain management, emotional wellbeing support, rehabilitation, independence support and community care.
Personalised Care	5.8%	5,898	Emotional, psychological or social support needs that may benefit from personalised care.	Personalised Care and Support Planning, psychological support, peer support and social prescribing.
Prevention & Survivorship Support Needs	7.2%	14,745	Wider support needs that may benefit from earlier identification, proactive support and follow-up.	Earlier identification of support needs, proactive survivorship support, targeted interventions and service redesign.

## Kent and Medway

LWBC Theme	% Severe Problems	Respondents Reporting Severe Problems	Potential Impact on Patients	Potential Areas for Support
Frailty & Late Effects	7.1%	6,234	Reduced resilience, mobility, self-care, cognition or long-term treatment effects.	Frailty assessment, late effects pathways, rehabilitation, falls prevention and cognitive support.
Living With & Beyond Cancer	8.5%	3,117	Difficulty returning to normal daily life, work, leisure and usual activities.	LWBC support, rehabilitation, occupational therapy, community recovery and return-to-normal-life support.
Pain, Anxiety & Independence	4.8%		Ongoing pain, anxiety or independence issues affecting daily life and confidence.	Pain management, emotional wellbeing support, rehabilitation, independence support and community care.
Personalised Care	4.9%	6,234	Emotional, psychological or social support needs that may benefit from personalised care.	Personalised Care and Support Planning, psychological support, peer support and social prescribing.
Prevention & Survivorship Support Needs	6.6%	15,585	Wider support needs that may benefit from earlier identification, proactive support and follow-up.	Earlier identification of support needs, proactive survivorship support, targeted interventions and service redesign.

## Lancashire and South Cumbria

LWBC Theme	% Severe Problems	Respondents Reporting Severe Problems	Potential Impact on Patients	Potential Areas for Support
Frailty & Late Effects	7.9%	4,960	Reduced resilience, mobility, self-care, cognition or long-term treatment effects.	Frailty assessment, late effects pathways, rehabilitation, falls prevention and cognitive support.
Living With & Beyond Cancer	8.4%	2,480	Difficulty returning to normal daily life, work, leisure and usual activities.	LWBC support, rehabilitation, occupational therapy, community recovery and return-to-normal-life support.
Pain, Anxiety & Independence	5.4%		Ongoing pain, anxiety or independence issues affecting daily life and confidence.	Pain management, emotional wellbeing support, rehabilitation, independence support and community care.
Personalised Care	5.6%	4,960	Emotional, psychological or social support needs that may benefit from personalised care.	Personalised Care and Support Planning, psychological support, peer support and social prescribing.
Prevention & Survivorship Support Needs	7.3%	12,400	Wider support needs that may benefit from earlier identification, proactive support and follow-up.	Earlier identification of support needs, proactive survivorship support, targeted interventions and service redesign.

## North Central London

LWBC Theme	% Severe Problems	Respondents Reporting Severe Problems	Potential Impact on Patients	Potential Areas for Support
Frailty & Late Effects	8.2%	2,240	Reduced resilience, mobility, self-care, cognition or long-term treatment effects.	Frailty assessment, late effects pathways, rehabilitation, falls prevention and cognitive support.
Living With & Beyond Cancer	7.9%	1,120	Difficulty returning to normal daily life, work, leisure and usual activities.	LWBC support, rehabilitation, occupational therapy, community recovery and return-to-normal-life support.
Pain, Anxiety & Independence	5.9%		Ongoing pain, anxiety or independence issues affecting daily life and confidence.	Pain management, emotional wellbeing support, rehabilitation, independence support and community care.
Personalised Care	5.8%	2,240	Emotional, psychological or social support needs that may benefit from personalised care.	Personalised Care and Support Planning, psychological support, peer support and social prescribing.
Prevention & Survivorship Support Needs	7.3%	5,600	Wider support needs that may benefit from earlier identification, proactive support and follow-up.	Earlier identification of support needs, proactive survivorship support, targeted interventions and service redesign.

## North East London

LWBC Theme	% Severe Problems	Respondents Reporting Severe Problems	Potential Impact on Patients	Potential Areas for Support
Frailty & Late Effects	9.5%	2,296	Reduced resilience, mobility, self-care, cognition or long-term treatment effects.	Frailty assessment, late effects pathways, rehabilitation, falls prevention and cognitive support.
Living With & Beyond Cancer	10.3%	1,148	Difficulty returning to normal daily life, work, leisure and usual activities.	LWBC support, rehabilitation, occupational therapy, community recovery and return-to-normal-life support.
Pain, Anxiety & Independence	7.9%		Ongoing pain, anxiety or independence issues affecting daily life and confidence.	Pain management, emotional wellbeing support, rehabilitation, independence support and community care.
Personalised Care	7.4%	2,296	Emotional, psychological or social support needs that may benefit from personalised care.	Personalised Care and Support Planning, psychological support, peer support and social prescribing.
Prevention & Survivorship Support Needs	9.2%	5,740	Wider support needs that may benefit from earlier identification, proactive support and follow-up.	Earlier identification of support needs, proactive survivorship support, targeted interventions and service redesign.

## North West and South West London

LWBC Theme	% Severe Problems	Respondents Reporting Severe Problems	Potential Impact on Patients	Potential Areas for Support
Frailty & Late Effects	7.8%	6,066	Reduced resilience, mobility, self-care, cognition or long-term treatment effects.	Frailty assessment, late effects pathways, rehabilitation, falls prevention and cognitive support.
Living With & Beyond Cancer	8.3%	3,033	Difficulty returning to normal daily life, work, leisure and usual activities.	LWBC support, rehabilitation, occupational therapy, community recovery and return-to-normal-life support.
Pain, Anxiety & Independence	5.5%		Ongoing pain, anxiety or independence issues affecting daily life and confidence.	Pain management, emotional wellbeing support, rehabilitation, independence support and community care.
Personalised Care	6.2%	6,066	Emotional, psychological or social support needs that may benefit from personalised care.	Personalised Care and Support Planning, psychological support, peer support and social prescribing.
Prevention & Survivorship Support Needs	7.4%	15,165	Wider support needs that may benefit from earlier identification, proactive support and follow-up.	Earlier identification of support needs, proactive survivorship support, targeted interventions and service redesign.

## Northern

LWBC Theme	% Severe Problems	Respondents Reporting Severe Problems	Potential Impact on Patients	Potential Areas for Support
Frailty & Late Effects	9.2%	9,652	Reduced resilience, mobility, self-care, cognition or long-term treatment effects.	Frailty assessment, late effects pathways, rehabilitation, falls prevention and cognitive support.
Living With & Beyond Cancer	10.8%	4,826	Difficulty returning to normal daily life, work, leisure and usual activities.	LWBC support, rehabilitation, occupational therapy, community recovery and return-to-normal-life support.
Pain, Anxiety & Independence	6.9%		Ongoing pain, anxiety or independence issues affecting daily life and confidence.	Pain management, emotional wellbeing support, rehabilitation, independence support and community care.
Personalised Care	6.4%	9,652	Emotional, psychological or social support needs that may benefit from personalised care.	Personalised Care and Support Planning, psychological support, peer support and social prescribing.
Prevention & Survivorship Support Needs	8.8%	24,130	Wider support needs that may benefit from earlier identification, proactive support and follow-up.	Earlier identification of support needs, proactive survivorship support, targeted interventions and service redesign.

## Peninsula

LWBC Theme	% Severe Problems	Respondents Reporting Severe Problems	Potential Impact on Patients	Potential Areas for Support
Frailty & Late Effects	7.3%	7,258	Reduced resilience, mobility, self-care, cognition or long-term treatment effects.	Frailty assessment, late effects pathways, rehabilitation, falls prevention and cognitive support.
Living With & Beyond Cancer	8.5%	3,629	Difficulty returning to normal daily life, work, leisure and usual activities.	LWBC support, rehabilitation, occupational therapy, community recovery and return-to-normal-life support.
Pain, Anxiety & Independence	4.8%		Ongoing pain, anxiety or independence issues affecting daily life and confidence.	Pain management, emotional wellbeing support, rehabilitation, independence support and community care.
Personalised Care	4.3%	7,258	Emotional, psychological or social support needs that may benefit from personalised care.	Personalised Care and Support Planning, psychological support, peer support and social prescribing.
Prevention & Survivorship Support Needs	6.6%	18,145	Wider support needs that may benefit from earlier identification, proactive support and follow-up.	Earlier identification of support needs, proactive survivorship support, targeted interventions and service redesign.

## Somerset, Wiltshire, Avon and Gloucestershire

LWBC Theme	% Severe Problems	Respondents Reporting Severe Problems	Potential Impact on Patients	Potential Areas for Support
Frailty & Late Effects	6.4%	11,202	Reduced resilience, mobility, self-care, cognition or long-term treatment effects.	Frailty assessment, late effects pathways, rehabilitation, falls prevention and cognitive support.
Living With & Beyond Cancer	7.2%	5,601	Difficulty returning to normal daily life, work, leisure and usual activities.	LWBC support, rehabilitation, occupational therapy, community recovery and return-to-normal-life support.
Pain, Anxiety & Independence	4.2%		Ongoing pain, anxiety or independence issues affecting daily life and confidence.	Pain management, emotional wellbeing support, rehabilitation, independence support and community care.
Personalised Care	4.3%	11,202	Emotional, psychological or social support needs that may benefit from personalised care.	Personalised Care and Support Planning, psychological support, peer support and social prescribing.
Prevention & Survivorship Support Needs	5.9%	28,005	Wider support needs that may benefit from earlier identification, proactive support and follow-up.	Earlier identification of support needs, proactive survivorship support, targeted interventions and service redesign.

## South East London

LWBC Theme	% Severe Problems	Respondents Reporting Severe Problems	Potential Impact on Patients	Potential Areas for Support
Frailty & Late Effects	7.9%	3,058	Reduced resilience, mobility, self-care, cognition or long-term treatment effects.	Frailty assessment, late effects pathways, rehabilitation, falls prevention and cognitive support.
Living With & Beyond Cancer	9.3%	1,529	Difficulty returning to normal daily life, work, leisure and usual activities.	LWBC support, rehabilitation, occupational therapy, community recovery and return-to-normal-life support.
Pain, Anxiety & Independence	6.4%		Ongoing pain, anxiety or independence issues affecting daily life and confidence.	Pain management, emotional wellbeing support, rehabilitation, independence support and community care.
Personalised Care	7.0%	3,058	Emotional, psychological or social support needs that may benefit from personalised care.	Personalised Care and Support Planning, psychological support, peer support and social prescribing.
Prevention & Survivorship Support Needs	8.0%	7,645	Wider support needs that may benefit from earlier identification, proactive support and follow-up.	Earlier identification of support needs, proactive survivorship support, targeted interventions and service redesign.

## South Yorkshire and Bassetlaw

LWBC Theme	% Severe Problems	Respondents Reporting Severe Problems	Potential Impact on Patients	Potential Areas for Support
Frailty & Late Effects	9.3%	4,054	Reduced resilience, mobility, self-care, cognition or long-term treatment effects.	Frailty assessment, late effects pathways, rehabilitation, falls prevention and cognitive support.
Living With & Beyond Cancer	10.6%	2,027	Difficulty returning to normal daily life, work, leisure and usual activities.	LWBC support, rehabilitation, occupational therapy, community recovery and return-to-normal-life support.
Pain, Anxiety & Independence	6.3%		Ongoing pain, anxiety or independence issues affecting daily life and confidence.	Pain management, emotional wellbeing support, rehabilitation, independence support and community care.
Personalised Care	7.0%	4,054	Emotional, psychological or social support needs that may benefit from personalised care.	Personalised Care and Support Planning, psychological support, peer support and social prescribing.
Prevention & Survivorship Support Needs	8.9%	10,135	Wider support needs that may benefit from earlier identification, proactive support and follow-up.	Earlier identification of support needs, proactive survivorship support, targeted interventions and service redesign.

## Surrey and Sussex

LWBC Theme	% Severe Problems	Respondents Reporting Severe Problems	Potential Impact on Patients	Potential Areas for Support
Frailty & Late Effects	6.2%	11,720	Reduced resilience, mobility, self-care, cognition or long-term treatment effects.	Frailty assessment, late effects pathways, rehabilitation, falls prevention and cognitive support.
Living With & Beyond Cancer	7.0%	5,860	Difficulty returning to normal daily life, work, leisure and usual activities.	LWBC support, rehabilitation, occupational therapy, community recovery and return-to-normal-life support.
Pain, Anxiety & Independence	4.3%		Ongoing pain, anxiety or independence issues affecting daily life and confidence.	Pain management, emotional wellbeing support, rehabilitation, independence support and community care.
Personalised Care	4.5%	11,720	Emotional, psychological or social support needs that may benefit from personalised care.	Personalised Care and Support Planning, psychological support, peer support and social prescribing.
Prevention & Survivorship Support Needs	5.8%	29,300	Wider support needs that may benefit from earlier identification, proactive support and follow-up.	Earlier identification of support needs, proactive survivorship support, targeted interventions and service redesign.

## Thames Valley

LWBC Theme	% Severe Problems	Respondents Reporting Severe Problems	Potential Impact on Patients	Potential Areas for Support
Frailty & Late Effects	5.6%	5,812	Reduced resilience, mobility, self-care, cognition or long-term treatment effects.	Frailty assessment, late effects pathways, rehabilitation, falls prevention and cognitive support.
Living With & Beyond Cancer	6.8%	2,906	Difficulty returning to normal daily life, work, leisure and usual activities.	LWBC support, rehabilitation, occupational therapy, community recovery and return-to-normal-life support.
Pain, Anxiety & Independence	3.9%		Ongoing pain, anxiety or independence issues affecting daily life and confidence.	Pain management, emotional wellbeing support, rehabilitation, independence support and community care.
Personalised Care	4.2%	5,812	Emotional, psychological or social support needs that may benefit from personalised care.	Personalised Care and Support Planning, psychological support, peer support and social prescribing.
Prevention & Survivorship Support Needs	5.3%	14,530	Wider support needs that may benefit from earlier identification, proactive support and follow-up.	Earlier identification of support needs, proactive survivorship support, targeted interventions and service redesign.

## Wessex

LWBC Theme	% Severe Problems	Respondents Reporting Severe Problems	Potential Impact on Patients	Potential Areas for Support
Frailty & Late Effects	6.5%	8,616	Reduced resilience, mobility, self-care, cognition or long-term treatment effects.	Frailty assessment, late effects pathways, rehabilitation, falls prevention and cognitive support.
Living With & Beyond Cancer	7.8%	4,308	Difficulty returning to normal daily life, work, leisure and usual activities.	LWBC support, rehabilitation, occupational therapy, community recovery and return-to-normal-life support.
Pain, Anxiety & Independence	4.3%		Ongoing pain, anxiety or independence issues affecting daily life and confidence.	Pain management, emotional wellbeing support, rehabilitation, independence support and community care.
Personalised Care	4.4%	8,616	Emotional, psychological or social support needs that may benefit from personalised care.	Personalised Care and Support Planning, psychological support, peer support and social prescribing.
Prevention & Survivorship Support Needs	6.0%	21,540	Wider support needs that may benefit from earlier identification, proactive support and follow-up.	Earlier identification of support needs, proactive survivorship support, targeted interventions and service redesign.

## West Midlands

LWBC Theme	% Severe Problems	Respondents Reporting Severe Problems	Potential Impact on Patients	Potential Areas for Support
Frailty & Late Effects	8.4%	16,164	Reduced resilience, mobility, self-care, cognition or long-term treatment effects.	Frailty assessment, late effects pathways, rehabilitation, falls prevention and cognitive support.
Living With & Beyond Cancer	9.9%	8,082	Difficulty returning to normal daily life, work, leisure and usual activities.	LWBC support, rehabilitation, occupational therapy, community recovery and return-to-normal-life support.
Pain, Anxiety & Independence	5.7%		Ongoing pain, anxiety or independence issues affecting daily life and confidence.	Pain management, emotional wellbeing support, rehabilitation, independence support and community care.
Personalised Care	6.2%	16,164	Emotional, psychological or social support needs that may benefit from personalised care.	Personalised Care and Support Planning, psychological support, peer support and social prescribing.
Prevention & Survivorship Support Needs	8.0%	40,410	Wider support needs that may benefit from earlier identification, proactive support and follow-up.	Earlier identification of support needs, proactive survivorship support, targeted interventions and service redesign.

## West Yorkshire and Harrogate

LWBC Theme	% Severe Problems	Respondents Reporting Severe Problems	Potential Impact on Patients	Potential Areas for Support
Frailty & Late Effects	7.8%	6,194	Reduced resilience, mobility, self-care, cognition or long-term treatment effects.	Frailty assessment, late effects pathways, rehabilitation, falls prevention and cognitive support.
Living With & Beyond Cancer	8.4%	3,097	Difficulty returning to normal daily life, work, leisure and usual activities.	LWBC support, rehabilitation, occupational therapy, community recovery and return-to-normal-life support.
Pain, Anxiety & Independence	5.4%		Ongoing pain, anxiety or independence issues affecting daily life and confidence.	Pain management, emotional wellbeing support, rehabilitation, independence support and community care.
Personalised Care	5.4%	6,194	Emotional, psychological or social support needs that may benefit from personalised care.	Personalised Care and Support Planning, psychological support, peer support and social prescribing.
Prevention & Survivorship Support Needs	7.2%	15,485	Wider support needs that may benefit from earlier identification, proactive support and follow-up.	Earlier identification of support needs, proactive survivorship support, targeted interventions and service redesign.